

Mark Of Quality





LAPROSCOPY INSTRUMENTS

Our Range of Best Selling Instruments



TABLE OF CONTENTS

01	TAKE A PART, 3 PIECE INSTRUMENTS, FULLY REUSABLE	1 to 1
02	GRASPING AND DISSECTING FROCEPS	2 to 11
03	BIOPSY FORCEPS	11 to 11
04	TC NEEDLE HOLDER	11 to 11
05	SUCTION IRRIGATION SYSTEM	11 to to
06	CLIP APPLICATOR	12 to 12
07	TROCARS	12 to 12
80	REDUCER	12 to 12
09	KNOT PUSHER	12 to 12
10	VERRSE NEEDLE STOPCOCK	13 to 13
11	HOOKS / ELECTRODE	13 to 13
12	SPRING HANDLE FORCEPS	13 to 14
13	3 LEAF SPREADER SPECILUM	14 to 14
14	SCISSORS	15 to 15




TAKE A PART, 3 PIECE INSTRUMENTS, FULLY REUSABLE

Fun	Functional Style of TAKAM Laparoscopic Instrument					
Α	Rigid, Fixed Instrument with flush port					
В	Rotatable, Fixed Instrument with flush port					
С	Rotatable, Modular - Take-A-Part, 3-piece Instrument					



To provide the ultimate in versatility in laparoscopic procedures, we offer our instruments in three different styles: A, B, and C (see details below) with three respective price levels, all available in two lengths. When ordering, add the letter of the style of instrument to the list number below





>=	Micro Reddick-0	Olsen Grasper/Dissec	tor , insulated shaf	t and handle,
	33 cm	88-52255-01	45 cm	88-52155-01
>	Standard Grasp RF-connector	er with spoon, insula	ted shaft and han	dle,
	33 cm	88-52255-02	45 cm	88-52155-02
>		er, insulated shaft an Substitute - insulated		ratchet handle)
	33 cm	88-52255-03	45 cm	88-52155-03
	Bullet-Nose Gra	sper / Dissector, with	spoon, insulated	shaft and handle,
	33 cm	88-52255-04	45 cm	88-52155-04
	Tapered Dolphir RF-connector	n-Nose Grasper / Diss	sector, insulated s	haft and handle,
	33 cm	88-52255-05	45 cm	88-52155-05
	Maryland Grasp RF-connector	er / Dissector, insulat	ted shaft and hand	dle,
	33 cm	88-52255-06	45 cm	88-52155-06
	Mixter Grasper	/ Dissector - right ang	le, insulated shaf	t and handle,



	Minter Creener	Discoston 450 August		L		
	RF-connector	Mixter Grasper/Dissector, 45° Angle, insulated shaft and handle, RF-connector				
	33 cm	88-52255-08	45 cm	88-52155-08		
	Duckbill Graspo RF-connector	er / Dissector, insulate	d shaft and handle,			
	33 cm	88-52255-09	45 cm	88-52155-09		
	Needle-Nose G	rasper / Dissector, ins	ulated shaft and ha	ndle,		
	33 cm	88-52255-10	45 cm	88-52155-10		
>-	RF-connector	Dissector, insulated sh	aft and handle,	88-52155-11		
	Petelin Dissectivith spring	or, angled 60° left, singl	e action, uninsulate	ed shaft and handle,		
	33 cm	88-52255-12	45 cm	88-52155-12		
	Petelin Dissectivith spring	or, angled 30° left, sing	le action, uninsulat	ted shaft and handle,		
		88-52255-13	45 cm	88-52155-13		
-1	33 cm	00-32233-13		00 02.00 .0		
		Dissector fenestrate	d, insulated shaft a			



	Cobra Grasper RF-connector	 double action, insula 	ted shaft and hand	le,
	33 cm	88-52255-15	45 cm	88-52155-15
		er , - fenestrated tip, insulated ratchet handle wit		nsulated ratchet handle,
	33 cm	88-52255-16	45 cm	88-52155-16
—		er, - short version, del t handle, (substitute - ins	W. 170.	
	33 cm	88-52255-17	45 cm	88-52155-17
			The state of the s	ft, non-insulated ratchet
	handle, (substitu RF-connector) 33 cm Allis Grasper -	88-52255-18 short version, double ac	45 cm	ft, non-insulated ratchet 88-52155-18 ft, non-insulated ratchet
	handle, (substitu RF-connector) 33 cm Allis Grasper -	te - insulated ratchet ha	45 cm tion, insulated sha	88-52155-18
	Allis Grasper - handle, (substitu	88-52255-18 short version, double ac	45 cm	88-52155-18
	Allis Grasper - handle, (substitute of the second of the s	88-52255-18 short version, double acute - insulated ratchet ha	45 cm stion, insulated shandle with 45 cm style), insulated sl	88-52155-18 ft, non-insulated ratchet 88-52155-19
	Allis Grasper - handle, (substitute RF-connector) 33 cm Allis Grasper - handle, (substitute RF-connector) 33 cm Allis Grasper - ratchet handle,	88-52255-18 short version, double acute - insulated ratchet ha 88-52255-19 medium version (Weck	45 cm stion, insulated shandle with 45 cm style), insulated sl	88-52155-18 ft, non-insulated ratchet 88-52155-19
	Allis Grasper - ratchet handle, RF-connector) 33 cm Allis Grasper - handle, (substitute RF-connector) 33 cm Allis Grasper - ratchet handle, RF-connector) 33 cm Allis Grasper -	short version, double acute - insulated ratchet has short version, double acute - insulated ratchet has 88-52255-19 medium version (Weck (substitute - insulated ratchet ratchet has substitute - insulated ratchet has substitut	45 cm etion, insulated shandle with 45 cm estyle), insulated slatchet handle with 45 cm	88-52155-18 ft, non-insulated ratchet 88-52155-19 haft, non-insulated



	DeBakey Grasper, 20 mm Jaw length, insulated shaft, non-insulated ratchet handle, (substitute - insulated ratchet handle with RF-connector)				
	33 cm	88-52255-22	45 cm	88-52155-22	
		er, 40 mm Jaw length, te - insulated ratchet ha		n-insulated ratchet	
	33 cm	88-52255-23	45 cm	88-52155-23	
		ımatic Grasper, insula lated ratchet handle wit		ilated ratchet handle,	
	33 cm	88-52255-24	45 cm	88-52155-24	
	RF-connector) 33 cm Double Cup Fur (substitute - insu	88-52255-25 Idus Maxi Grasper, included ratchet handle with	45 cm sulated shaft, non-i	88-52155-25 insulated ratchet handle,	
CER	RF-connector)				
	33 cm	88-52255-26	45 cm	88-52155-26	
	Endo Clinch Fe	Monatoria Sura di Caratteria Constanti	sulated shaft, non-i	88-52155-26 nsulated ratchet handle,	
	Endo Clinch Fer	nestrated Grasper, ins	sulated shaft, non-i		
	Endo Clinch Fer (substitute - insu RF-connector) 33 cm	nestrated Grasper, ins lated ratchet handle wit	sulated shaft, non-insu	nsulated ratchet handle, 88-52155-27	



	1			
			-	ited shaft, non-insulated
Africal or property of the last	ratchet handle, (s RF-connector)	ubstitute - insulated r	atchet handle with	
diagra.	Kr-connector)			
	33 cm	88-52255-29	45 cm	88-52155-29
_	Alligator Graspe	er - retro facing teeth,	single action, insulat	ted shaft, non-insulated
		ubstitute - insulated r	atchet handle with	
Control of the Contro	RF-connector)			
	33 cm	88-52255-30	45 cm	88-52155-30
			h teeth, double action	n, insulated shaft and
-	handle, RF-conne	ector		
- Maria				
	33 cm	88-52255-31	45 cm	88-52155-31
	Wave Grasper -	long beveled edge jav	v, double action, insu	lated shaft,
		chet handle, (substitu	te - insulated ratchet	handle with
(April 10 and 10	RF-connector)			
	33 cm	88-52255-32	45 cm	88-52155-32
	-			
	Wave Grasper -	long beveled edge ja	w, single action, insu	lated shaft, non-insulated
	The state of the s	ubstitute - insulated r	atchet handle with	
CHARLES DE LA CONTRACTOR DE LA CONTRACTO	RF-connector)			
	33 cm	88-52255-33	45 cm	88-52155-33
		and the second s	and a second	The same of the sa
	Retraction Gras	per, long ridged jaws,	2 x 3 atraumatic teet	h, double action, insulated
	A STATE OF THE PARTY OF THE PAR	ed ratchet handle, (su	bstitute - insulated ra	atchet handle with
A STATE OF THE PARTY OF THE PAR	RF-connector)			
Car.	33 cm	88-52255-34	45 cm	88-52155-34
L	00 0111		70 0111	22.22.33
	Retraction Gras	per, long ridged laws.	2 x 3 atraumatic teet	h, single action, insulated
	The second of th	ed ratchet handle, (su		
knomik	RF-connector)			
	33 cm	88-52255-35	45 cm	88-52155-35
	55 011	00-32233-33	40 011	00 02 100 00



		x 3 teeth, single action te - insulated ratchet h		non-insulated ratchet
	33 cm	88-52255-36	45 cm	88-52155-36
	1			
		x 3 teeth, single action stitute - insulated shaft	.5	aft, non-insulated handle
	33 cm	88-52255-37	45 cm	88-52155-37
3		asper, 16 mm double a substitute - insulated ra		l shaft, non-insulated
	33 cm	88-52255-38	45 cm	88-52155-38
		asper, 22 mm double a substitute - insulated ra 88-52255-39		shaft, non-insulated
		asper, 40 mm double a substitute - insulated ra	AND AND PARTY OF THE PARTY OF T	d shaft, non-insulated
	33 cm	88-52255-40	45 cm	88-52155-40
		ted Grasper, 22 mm si chet handle, (substitut		
	33 cm	88-52255-41	45 cm	88-52155-41
	The second secon	ted Grasper, 40 mm s chet handle, (substitut		The state of the s
	33 cm	88-52255-42	45 cm	88-52155-42



-	r, 1 x 2 teeth, single ac ite - insulated ratchet h		ft, non-insulated ratchet ector)
33 cm	88-52255-43	45 cm	88-52155-43
•	r, 1 x 2 teeth, double a tchet handle, (substitut		
33 cm	88-52255-44	45 cm	88-52155-44
Control of the Contro	AND THE RESERVE OF THE PROPERTY OF THE PROPERT	and the second s	shaft, non-insulated ratch
handle, (substitu	ite - non-insulated shaf	-,	

Strong Grasper / Dissector, insulated shaft and handle with RF (Handle Style A)			vith RF-connector,
33 cm	88-52255-46	45 cm	88-52155-46
		The same of the sa	ft and handle with RF- handle with RF-connecto
(Handle Style A)	ne otyle Ajright angle,	madiated and	manule with Kr-connecto
	88-52255-47	45 cm	88-52155-47
(Handle Style A) 33 cm	88-52255-47 Dissector, right angle	45 cm	88-52155-47




Mixter Grasper/I RF-connector, (Ha	Dissector, 445° angle andle Style A)	, insulated shaft an	d handle with
33 cm	88-52255-49	45 cm	88-52155-49
Babcock Graspe (Handle Style B)	er, fenestrated tip, ins	ulated shaft, non-in	sulated ratchet handle,
33 cm	88-52255-50	45 cm	88-52155-50
	asper, spring tension, chet handle (Handle St		c, insulated shaft,
33 cm	88-52255-51	45 cm	88-52155-51
Allia Crasmar &		audated aboti acci	in a column of a section to the section
Allis Grasper, f (Handle Style B)	ine axial serrations, in:	sulated shaft, non-i 45 cm	insulated ratchet handle,
(Handle Style B)		45 cm	88-52155-52
(Handle Style B) 33 cm DeBakey Graspe	88-52255-52	45 cm	88-52155-52
(Handle Style B) 33 cm DeBakey Graspe (Handle Style B) 33 cm	88-52255-52 er, 40mm jaw, insulate	45 cm d shaft, non-insula 45 cm	88-52155-52 ited ratchet handle, 88-52155-53
(Handle Style B) 33 cm DeBakey Graspe (Handle Style B) 33 cm DeBakey Graspe	88-52255-52 er, 40mm jaw, insulate 88-52255-53	45 cm d shaft, non-insula 45 cm	88-52155-52 ted ratchet handle, 88-52155-53
(Handle Style B) 33 cm DeBakey Graspe (Handle Style B) 33 cm DeBakey Graspe (Handle Style B) 33 cm	88-52255-52 er, 40mm jaw, insulate 88-52255-53 er, 60mm jaw, insulate 88-52255-54 40mm jaw, axial serr	45 cm d shaft, non-insula 45 cm d shaft, non-insulat	88-52155-52 ted ratchet handle, 88-52155-53




	Kocher Graspe handle, (Handle		rations, insulated sl	naft, non-insulated ratchet
	33 cm	88-52255-56	45 cm	88-52155-56
	Duval Grasper, handle, (Handle	the Control of the Co	ations, insulated sha	aft, non-insulated ratchet
	33 cm	88-52255-57	45 cm	88-52155-57
	Claw Forceps, (Handle Style B)	-	haft, non-insulated	ratchet handle,
	33 cm	88-52255-58	45 cm	88-52155-58
	Spoon Forceps (Handle Style B)	s, standard tip, insulate	d shaft, non-insulat	ed ratchet handle,
	Spoon Forceps (Handle Style B)	, long tip, insulated sh	aft, non-insulated ra	atchet handle,
	33 cm	88-52255-60	45 cm	88-52155-60
	Schroeder Tena handle, (Handle		e tooth, insulated s	haft, non-insulated ratchet
	33 cm	88-52255-61	45 cm	88-52155-61
	Strong Atrauma handle, (Handle	and the state of t	ight jaw, insulated s	haft, non-insulated ratchet
AND DESCRIPTION OF THE PERSON				





BIOPSY FORCEPS



TC NEEDLE HOLDER

88-52255-75Needle Holder with Tungsten Carbide jaw 5mm available:

S - Straight jaw, R - Right jaw, L- Left jaw

SUCTION IRRIGATION SYSTEM

88-52255-77

Dual Trumpet Valve – includes 5mm and 10mm Sheath (shown with 10mm sheath)





88-52255-76 Clip Applicator

Stainless steel completely reuseable Clip Applicator 10mm x 330mm

TROCARS

for Ethicon LT-300

88-52255-78 Trocars Standard Trap Door Cannula & Trocar





A -5.5mm Trocar with Trap door Cannula

B -11mm Trocar with Trap door Cannula

REDUCER

88-52255-79 Reducer



KNOT PUSHER

88-52255-80 Knot Pusher



Classic design for guiding of extracorporeal Knots to suture site



VERRSE NEEDLE STOPCOCK

88-52255-81 Verrse Needle stopcock



- A 100mm
- B 120mm
- C 150mm

Classic design for guiding of extracorporeal Knots to suture site

HOOKS / ELECTRODE

88-52255-82 Insulated Electrode

52255-82/A Spatula Electrode 5mm

52255-82/B L-Hook Electrode 5mm

52255-82/C Knife Electrode 5mm

52255-82/D J-Hook Electrode 5mm

52255-82/E Blunt Electrode 5mm

52255-82/F Button Electrode 5mm

52255-82/G Cone Electrode 5mm

Each electrode has a permanent fitted adaptor for connecting to the electrosurgical cable. Cable is ordered separately.



SPRING HANDLE FORCEPS

615-113 615-114 Spring handle, Spring handle, 5mm, 32cm 5mm, 45cm



Strong Atraumatic Grasping Forceps Fenestrated, serrated, curved jaws with split-steel construction, for fixation of ovary or manipulation of pelvic tissues.

5mm, 33cm


88-52255-83



SPRING HANDLE FORCEPS



615-118 Spring handle, 5mm, 45cm



Fallopian Tube Grasping Forceps Curved jaws with split-steelconstruction for gentle grasping of fallopian tube.

5mm, 33cm

88-52255-84

615-143 Spring handle, 5mm, 32cm

615-144





Bowel Forceps Cross-serrated, disc-shaped jaws with split-steel construction.

5mm, 33cm

88-52255-85

3 LEAF SPREADER SPECILUM

88-52155-86






SCISSORS

	Hook Scissors - single action, insulated shaft and handle, RF-connector, (substitute - non-insulated shaft and handle)			
	33 cm	88-52255-91	45 cm	88-52155-91
	Micro Tip Scissors, straight, double action, non-insulated shaft and handle (substitute - insulated shaft and handle, RF-connector)			
	33 cm	88-52255-92	45 cm	88-52155-92
		ors, curved, double act lated shaft and handle,		shaft and handle
	33 cm	88-52255-93	45 cm	88-52155-93
	Metzenbaum Sc RF-connector	issors, straight, long	blade, insulated sh	aft and handle,
	33 cm	88-52255-94	45 cm	88-52155-94
	Metzenbaum Sc RF-connector	issors, straight, short	blade, insulated sh	naft and handle,
	33 cm	88-52255-95	45 cm	88-52155-95
	Metzenbaum Sc	issors, curved, long bl	lade, insulated shat	ft and handle, RF-connector
	33 cm	88-52255-96	45 cm	88-52155-96
>	Metzenbaum Scissors, curved, short blade, insulated shaft and handle, RF-connector			
	33 cm	88-52255-97	45 cm	88-52155-97

LAPROSCOPY INSTRUMENTS

Our Range of Best Selling Instruments







■ sales@sunmarkinstruments.com

Small Industrial Estate Sialkot-51310 Punjab Pakistan

